

Tournament Name
Bowling Center
City, State, Country
Dates

Fazer 2017

Volume Per Board: <u>40</u> μ L				Forward Offense HV			Start Med. Buff	Start Slow Buff	Oil Travel Distance
							feet	feet	feet
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil (μ L)
01F	2	2	4	10	0	5	37	148	5920
02F	5	5	1	14	5	6	31	31	1240
03F	8	8	1	14	6	7	25	25	1000
04F	9	9	1	18	7	9	23	23	920
05F	10	10	1	18	9	11	21	21	840
06F	11	11	1	22	11	14	19	19	760
07F	12	12	2	22	14	20	17	34	1360
08F	2	2	0	26	20	38			
09F									
10F									
11F									
12F									
13F									
14F									
15F									
Total # Boards Crossed / mL on FWD								301	12,04
Lane Surface Type: _____ Comments: _____									Reverse Oil Distance
Condition: 1 = poor 2 = fair 3 = average 4 = good 5 = excellent _____									26 feet
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil (μ L)
01R			0	30	38	26			
02R	12	12	1	22	26	23	17	17	680
03R	10	10	1	22	23	20	21	21	840
04R	8	8	1	18	20	18	25	25	1000
05R	6	6	2	18	18	13	29	58	2320
06R	2	2	1	14	13	12	37	37	1480
07R	2	2	0	14	12	0			
08R									
09R									
10R									
11R									
12R									
13R									
14R									
15R									
Total # Boards Crossed / mL on REV								158	6,32
Total # Boards / mL FWD and REV								459	18,36

Tournament Name

Fazer 2017

Bowling Center

City, State

Dates

Zone Length #1 #2 #3 #4 #5 #6
 Tape Location 9' 16' 23' 27' 38'

FORWARD OIL

Pump Calibration: 40 Fwd Volume 12,040 Rev Volume 6,320 Total Volume 18,360

	1L	2L	3L	4L	5L	6L	7L	8L	9L	10L	11L	12L	13L	14L	15L	16L	17L	18L	19L	20	19R	18R	17R	16R	15R	14R	13R	12R	11R	10R	9R	8R	7R	6R	5R	4R	3R	2R	1R				
01F	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160		
02F				40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	
03F						40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
04F							40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
05F									40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
06F										40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
07F											80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80
08F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
09F																																											
10F																																											
11F																																											
12F																																											
13F																																											
14F																																											
15F																																											
	680				1240				2120				1980				220				1980				2120				1240				680										
	160	160	160	200	200	200	240	280	320	360	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440		


REVERSE OIL

	1L	2L	3L	4L	5L	6L	7L	8L	9L	10L	11L	12L	13L	14L	15L	16L	17L	18L	19L	20	19R	18R	17R	16R	15R	14R	13R	12R	11R	10R	9R	8R	7R	6R	5R	4R	3R	2R	1R				
01R																																											
02R												40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	
03R										40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
04R							40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
05R					80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80
06R	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	
07R	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
08R																																											
09R																																											
10R																																											
11R																																											
12R																																											
13R																																											
14R																																											
15R																																											
	160				760				1160				1080				120				1080				1160				760				160										
	40	40	40	40	120	120	160	160	200	200	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240		

Total Volume in Microliters 18360

Fazer 2017 Composite Pattern

Microliters	Avg. 2-5L	Avg. 6-10L	Avg. 11-15L	Avg. 16-20L	Avg. 20-16R	Avg. 15-11R	Avg. 10-6R	Avg. 5-2R
	210	400	656	680	680	656	400	210
Ratio	20:2L	20:5L	20:10L	20:15L	20:15R	20:10R	20:5R	20:2R
	3,40	2,83	1,31	1,00	1,00	1,31	2,83	3,40



Fazer 2017 Overhead View of Conditioner Pattern

