

Tournament Name
Bowling Center
City, State, Country
Dates

Hallimestarus 2

| Volume Per Board: <u>40</u> μ L | | | | Forward Connect | | | Start Med. Buff | Start Slow Buff | Oil Travel Distance |
|---|--------------------|---------------------|--------------------|------------------------|-----------------------------------|--------------------------------|---------------------------|----------------------|--------------------------------|
| | | | | | | | 37 feet | 37 feet | 37 feet |
| Screen # | Left End of Stream | Right End of Stream | # Loads or Streams | Travel Speed (in/sec) | Beginning Distance of Load (feet) | Ending Distance of Load (feet) | # Boards Crossed per Load | Total Boards Crossed | Total Volume of Oil (μ L) |
| 01F | 2 | 2 | 1 | 14 | 0 | 1 | 37 | 37 | 1480 |
| 02F | 4 | 4 | 1 | 14 | 1 | 2 | 33 | 33 | 1320 |
| 03F | 6 | 6 | 2 | 14 | 2 | 5 | 29 | 58 | 2320 |
| 04F | 8 | 8 | 2 | 18 | 5 | 10 | 25 | 50 | 2000 |
| 05F | 2 | 2 | 0 | 26 | 10 | 37 | | | |
| 06F | | | | | | | | | |
| 07F | | | | | | | | | |
| 08F | | | | | | | | | |
| 09F | | | | | | | | | |
| 10F | | | | | | | | | |
| 11F | | | | | | | | | |
| 12F | | | | | | | | | |
| 13F | | | | | | | | | |
| 14F | | | | | | | | | |
| 15F | | | | | | | | | |
| Total # Boards Crossed / mL on FWD | | | | | | | | 178 | 7,12 |
| Lane Surface Type: _____ | | | | | | | | Reverse Oil Distance | |
| Condition: 1 = poor 2 = fair 3 = average 4 = good 5 = excellent | | | | | | | | 24 feet | |
| Reverse | | | | | | | | | |
| Screen # | Left End of Stream | Right End of Stream | # Loads or Streams | Travel Speed (in/sec) | Beginning Distance of Load (feet) | Ending Distance of Load (feet) | # Boards Crossed per Load | Total Boards Crossed | Total Volume of Oil (μ L) |
| 01R | 2 | 2 | 0 | 30 | 37 | 24 | | | |
| 02R | 11 | 9 | 2 | 22 | 24 | 18 | 21 | 42 | 1680 |
| 03R | 9 | 7 | 2 | 18 | 18 | 13 | 25 | 50 | 2000 |
| 04R | 7 | 5 | 2 | 18 | 13 | 8 | 29 | 58 | 2320 |
| 05R | 2 | 2 | 2 | 14 | 8 | 5 | 37 | 74 | 2960 |
| 06R | 2 | 2 | 0 | 14 | 5 | 0 | | | |
| 07R | | | | | | | | | |
| 08R | | | | | | | | | |
| 09R | | | | | | | | | |
| 10R | | | | | | | | | |
| 11R | | | | | | | | | |
| 12R | | | | | | | | | |
| 13R | | | | | | | | | |
| 14R | | | | | | | | | |
| 15R | | | | | | | | | |
| Total # Boards Crossed / mL on REV | | | | | | | | 224 | 8,96 |
| Total # Boards / mL FWD and REV | | | | | | | | 402 | 16,08 |

Tournament Name

Hallimestarus 2

Bowling Center

City, State

Dates

Zone Length
Tape Location

#1 9' #2 16' #3 23' #4 27' #5 38' #6

FORWARD OIL

Pump Calibration: 40 Fwd Volume 7,120 Rev Volume 8,960 Total Volume 16,080

Table with 20 columns (1L-20) and 16 rows (01F-15F) for Forward Oil. Values include 40, 80, 120, 160, 240, 320, 400, 480, 560, 640, 720, 800, 880, 960, 1040, 1120, 1200, 1280, 1360, 1440, 1520, 1600, 1680, 1760, 1840, 1920, 2000.


REVERSE OIL

Table with 20 columns (1R-20) and 16 rows (01R-15R) for Reverse Oil. Values include 0, 80, 160, 240, 320, 400, 480, 560, 640, 720, 800, 880, 960, 1040, 1120, 1200, 1280, 1360, 1440, 1520, 1600, 1680, 1760, 1840, 1920, 2000.

Total Volume in Microliters 16080

Hallimestarus 2 Composite Pattern

| Microliters | Avg. 2-5L | Avg. 6-10L | Avg. 11-15L | Avg. 16-20L | Avg. 20-16R | Avg. 15-11R | Avg. 10-6R | Avg. 5-2R |
|-------------|-----------|------------|-------------|-------------|-------------|-------------|------------|-----------|
| | 140 | 384 | 560 | 560 | 560 | 560 | 464 | 160 |
| Ratio | 20:2L | 20:5L | 20:10L | 20:15L | 20:15R | 20:10R | 20:5R | 20:2R |
| | 4,67 | 3,50 | 1,17 | 1,00 | 1,00 | 1,00 | 2,33 | 4,67 |



Hallimstaruus 2 Overhead View of Conditioner Pattern

