

Tournament Name
Bowling Center
City, State, Country
Dates

willimies16

Volume Per Board: <u>40</u> μ L				Forward Connect			Start Med. Buff	Start Slow Buff	Oil Travel Distance
							feet	feet	38 feet
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil (μ L)
01F	2	2	3	10	0	4	37	111	4440
02F	5	5	1	14	4	5	31	31	1240
03F	8	7	1	14	5	6	26	26	1040
04F	10	9	2	14	6	9	22	44	1760
05F	12	11	2	14	9	12	18	36	1440
06F	13	12	1	18	12	14	16	16	640
07F	2	2	0	22	14	38			
08F									
09F									
10F									
11F									
12F									
13F									
14F									
15F									
Total # Boards Crossed / mL on FWD								264	10,56
Lane Surface Type: _____								Reverse Oil	
Condition: 1 = poor 2 = fair 3 = average 4 = good 5 = excellent								Distance	
								31 feet	
Reverse									
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil (μ L)
01R			0	26	38	31			
02R	14	13	1	22	31	28	14	14	560
03R	11	10	3	18	28	21	20	60	2400
04R	8	8	2	18	21	16	25	50	2000
05R	6	6	1	14	16	15	29	29	1160
06R	2	2	2	14	15	12	37	74	2960
07R	2	2	0	14	12	0			
08R									
09R									
10R									
11R									
12R									
13R									
14R									
15R									
Total # Boards Crossed / mL on REV								227	9,08
Total # Boards / mL FWD and REV								491	19,64

Tournament Name

willimies16

Bowling Center

City, State

Dates

#1 #2 #3 #4 #5 #6

Zone Length

Tape Location

9' 16' 23' 27' 38'

FORWARD OIL

Pump Calibration: 40 Fwd Volume 10,560 Rev Volume 9,080 Total Volume 19,640

Table for Forward Oil with columns 1L-1R and rows 01F-15F. Includes numerical data and sub-totals at the bottom.

REVERSE OIL

Table for Reverse Oil with columns 1L-1R and rows 01R-15R. Includes numerical data and sub-totals at the bottom.

Total Volume in Microliters 19640

willimies16 Composite Pattern

Microliters	Avg. 2-5L	Avg. 6-10L	Avg. 11-15L	Avg. 16-20L	Avg. 20-16R	Avg. 15-11R	Avg. 10-6R	Avg. 5-2R
	210	368	704	760	760	736	416	210
Ratio	20:2L	20:5L	20:10L	20:15L	20:15R	20:10R	20:5R	20:2R
	3,80	3,17	1,58	1,00	1,00	1,27	3,17	3,80



