

Tournament Name
Bowling Center
City, State, Country
Dates

xstrike

Volume Per Board: <u>40</u> μ L				Forward Connect			Start Med. Buff	Start Slow Buff	Oil Travel Distance
							feet	feet	feet
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil (μ L)
01F	2	2	5	14	0	9	37	185	7400
02F	6	6	1	14	9	10	29	29	1160
03F	7	7	1	14	10	11	27	27	1080
04F	8	8	1	14	11	12	25	25	1000
05F	9	9	2	14	12	15	23	46	1840
06F	10	10	2	18	15	20	21	42	1680
07F	12	12	1	18	20	22	17	17	680
08F	14	14	1	18	22	24	13	13	520
09F	2	2	0	22	24	40			
10F									
11F									
12F									
13F									
14F									
15F									
Total # Boards Crossed / mL on FWD								384	15,36
Lane Surface Type: _____								Reverse Oil Distance	
Condition: 1 = poor 2 = fair 3 = average 4 = good 5 = excellent								18 feet	
Reverse									
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil (μ L)
01R	2		0	26	40	18			
02R	12	12	1	14	18	17	17	17	680
03R	10	10	1	14	17	16	21	21	840
04R	8	8	1	14	16	15	25	25	1000
05R	2	2	2	14	15	12	37	74	2960
06R	2	2	0	14	12	0			
07R									
08R									
09R									
10R									
11R									
12R									
13R									
14R									
15R									
Total # Boards Crossed / mL on REV								137	5,48
Total # Boards / mL FWD and REV								521	20,84

Tournament Name

xstrike

Bowling Center

City, State

Dates

Four horizontal lines for entering tournament information.

Zone Length #1 #2 #3 #4 #5 #6
Tape Location 9' 16' 23' 27' 38'

FORWARD OIL

Pump Calibration: 40 Fwd Volume 15,360 Rev Volume 5,480 Total Volume 20,840

	1L	2L	3L	4L	5L	6L	7L	8L	9L	10L	11L	12L	13L	14L	15L	16L	17L	18L	19L	20	19R	18R	17R	16R	15R	14R	13R	12R	11R	10R	9R	8R	7R	6R	5R	4R	3R	2R	1R						
01F	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200				
02F					40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40			
03F						40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40		
04F							40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	
05F									80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	
06F										80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	
07F											40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	
08F												40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	
09F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10F																																													
11F																																													
12F																																													
13F																																													
14F																																													
15F																																													
		800				1720																																							
	200	200	200	200	240	280	320	400	480	480	520	520	560	560	560	560	560	560	560	560	560	560	560	560	560	560	560	520	520	480	480	400	320	280	240	200	200	200	200	200	200	200			


REVERSE OIL

	1L	2L	3L	4L	5L	6L	7L	8L	9L	10L	11L	12L	13L	14L	15L	16L	17L	18L	19L	20	19R	18R	17R	16R	15R	14R	13R	12R	11R	10R	9R	8R	7R	6R	5R	4R	3R	2R	1R								
01R	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40				
02R												40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40		
03R											40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	
04R											40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	
05R	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	
06R	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
07R																																															
08R																																															
09R																																															
10R																																															
11R																																															
12R																																															
13R																																															
14R																																															
15R																																															
		320				560																																									
	1120					2280																																									
	80	80	80	80	80	80	120	120	160	160	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200		

Total Volume in Microliters 20840

xstrike Composite Pattern

Microliters	Avg. 2-5L	Avg. 6-10L	Avg. 11-15L	Avg. 16-20L	Avg. 20-16R	Avg. 15-11R	Avg. 10-6R	Avg. 5-2R
	280	456	720	760	760	720	456	280
Ratio	20:2L	20:5L	20:10L	20:15L	20:15R	20:10R	20:5R	20:2R
	2,71	2,71	1,19	1,00	1,00	1,19	2,71	2,71



xstrike Overhead View of Conditioner Pattern

