

Tournament Name
Bowling Center
City, State, Country
Dates

tops2018

Volume Per Board: <u>40</u> μ L				Forward Connect			Start Med. Buff	Start Slow Buff	Oil Travel Distance
							feet	feet	feet
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil (μ L)
01F	2	2	4	10	0	5	37	148	5920
02F	6	6	1	14	5	6	29	29	1160
03F	7	7	1	14	6	7	27	27	1080
04F	8	8	1	14	7	8	25	25	1000
05F	9	9	2	14	8	11	23	46	1840
06F	10	10	2	18	11	16	21	42	1680
07F	12	12	1	18	16	18	17	17	680
08F	14	14	1	18	18	20	13	13	520
09F	2	2	0	22	20	40			
10F									
11F									
12F									
13F									
14F									
15F									
Total # Boards Crossed / mL on FWD								347	13,88
Lane Surface Type: _____ Comments: _____									Reverse Oil Distance
Condition: 1 = poor 2 = fair 3 = average 4 = good 5 = excellent _____									18 feet
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil (μ L)
01R	2		0	26	40	18			
02R	12	12	1	14	18	17	17	17	680
03R	10	10	1	14	17	16	21	21	840
04R	8	8	1	14	16	15	25	25	1000
05R	2	2	3	14	15	10	37	111	4440
06R	2	2	0	14	10	0			
07R									
08R									
09R									
10R									
11R									
12R									
13R									
14R									
15R									
Total # Boards Crossed / mL on REV								174	6,96
Total # Boards / mL FWD and REV								521	20,84

Tournament Name

tops2018

Bowling Center

City, State

Dates

#1 #2 #3 #4 #5 #6

Zone Length

Tape Location

9' 16' 23' 27' 38'

FORWARD OIL

Pump Calibration: 40 Fwd Volume 13,880 Rev Volume 6,960 Total Volume 20,840

Table with 20 columns (1L-20R) and 15 rows (01F-15F) showing oil volume data for forward oil. Includes totals at the bottom of each column.


REVERSE OIL

Table with 20 columns (1L-20R) and 15 rows (01R-15R) showing oil volume data for reverse oil. Includes totals at the bottom of each column.

Total Volume in Microliters 20840

tops2018 Composite Pattern

Microliters	Avg. 2-5L	Avg. 6-10L	Avg. 11-15L	Avg. 16-20L	Avg. 20-16R	Avg. 15-11R	Avg. 10-6R	Avg. 5-2R
	280	456	720	760	760	720	456	280
Ratio	20:2L	20:5L	20:10L	20:15L	20:15R	20:10R	20:5R	20:2R
	2,71	2,71	1,19	1,00	1,00	1,19	2,71	2,71



tops2018 Overhead View of Conditioner Pattern

