


Tournament Name
Bowling Center
City, State, Country
Dates

Elokisa 2017

Volume Per Board: <u>40</u> μ L				Forward Connect			Start Med. Buff	Start Slow Buff	Oil Travel Distance
							feet	feet	38 feet
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil (μ L)
01F	2	2	3	10	0	4	37	111	4440
02F	5	5	1	14	4	5	31	31	1240
03F	8	8	2	14	5	8	25	50	2000
04F	9	9	2	18	8	13	23	46	1840
05F	10	10	1	18	13	15	21	21	840
06F	11	11	1	18	15	17	19	19	760
07F	12	12	2	18	17	22	17	34	1360
08F	2	2	0	26	22	38			
09F									
10F									
11F									
12F									
13F									
14F									
15F									
Total # Boards Crossed / mL on FWD								312	12,48
Lane Surface Type: _____								Reverse Oil Distance	
Condition: 1 = poor 2 = fair 3 = average 4 = good 5 = excellent								26 feet	
Reverse									
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil (μ L)
01R			0	30	38	26			
02R	12	12	1	18	26	24	17	17	680
03R	10	10	1	18	24	22	21	21	840
04R	8	8	1	18	22	20	25	25	1000
05R	6	6	2	18	20	15	29	58	2320
06R	2	2	1	14	15	14	37	37	1480
07R	2	2	0	14	14	0			
08R									
09R									
10R									
11R									
12R									
13R									
14R									
15R									
Total # Boards Crossed / mL on REV								158	6,32
Total # Boards / mL FWD and REV								470	18,8

Elokisa 2017 Composite Pattern

Microliters	Avg. 2-5L	Avg. 6-10L	Avg. 11-15L	Avg. 16-20L	Avg. 20-16R	Avg. 15-11R	Avg. 10-6R	Avg. 5-2R
	170	400	696	720	720	696	400	170
Ratio	20:2L	20:5L	20:10L	20:15L	20:15R	20:10R	20:5R	20:2R
	4,50	3,60	1,29	1,00	1,00	1,29	3,60	4,50



Elokisa 2017 Overhead View of Conditioner Pattern

