

Tournament Name
Bowling Center
City, State, Country
Dates

Hallimestarus I 2018

Volume Per Board: <u>40</u> μ L				Forward Connect			Start Med. Buff	Start Slow Buff	Oil Travel Distance
							feet	feet	41 feet
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil (μ L)
01F	2	2	4	14	0	7	37	148	5920
02F	4	4	1	14	7	8	33	33	1320
03F	6	6	1	14	8	9	29	29	1160
04F	8	8	2	18	9	14	25	50	2000
05F	10	10	2	18	14	19	21	42	1680
06F	2	2	0	22	19	41			
07F									
08F									
09F									
10F									
11F									
12F									
13F									
14F									
15F									
Total # Boards Crossed / mL on FWD								302	12,08
Lane Surface Type: _____ Comments: _____									Reverse Oil Distance
Condition: 1 = poor 2 = fair 3 = average 4 = good 5 = excellent _____									28 feet
Reverse									
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil (μ L)
01R			0	30	41	28			
02R	11	11	1	22	28	25	19	19	760
03R	10	10	1	18	25	23	21	21	840
04R	9	9	1	18	23	21	23	23	920
05R	8	8	1	18	21	19	25	25	1000
06R	7	7	1	18	19	17	27	27	1080
07R	6	6	1	18	17	15	29	29	1160
08R	2	2	1	14	15	14	37	37	1480
09R	2	2	0	14	14	0			
10R									
11R									
12R									
13R									
14R									
15R									
Total # Boards Crossed / mL on REV								181	7,24
Total # Boards / mL FWD and REV								483	19,32

Tournament Name

Hallimestarus I 2018

Bowling Center

City, State

Dates

#1 #2 #3 #4 #5 #6

Zone Length

Tape Location

9' 16' 23' 27' 38'

FORWARD OIL

Pump Calibration: 40 Fwd Volume 12,080 Rev Volume 7,240 Total Volume 19,320

Table for Forward Oil analysis with columns 1L-1R and rows 01F-15F. Includes numerical data points and a summary row at the bottom with values like 720, 1520, 2000, 1800, 200, 1800, 2000, 1520, 720.


REVERSE OIL

Table for Reverse Oil analysis with columns 1L-1R and rows 01R-15R. Includes numerical data points and a summary row at the bottom with values like 160, 800, 1400, 1260, 140, 1260, 1400, 800, 160.

Total Volume in Microliters 19320

Hallimestarus I 2018 Composite Pattern

Microliters	Avg. 2-5L	Avg. 6-10L	Avg. 11-15L	Avg. 16-20L	Avg. 20-16R	Avg. 15-11R	Avg. 10-6R	Avg. 5-2R
	220	464	680	680	680	680	464	220
Ratio	20:2L	20:5L	20:10L	20:15L	20:15R	20:10R	20:5R	20:2R
	3,40	2,83	1,06	1,00	1,00	1,06	2,83	3,40



Hallimestarus I 2018 Overhead View of Conditioner Pattern

