

Tournament Name
Bowling Center
City, State, Country
Dates

syyskisa2017

Volume Per Board: <u>40</u> μ L				Forward Connect			Start Med. Buff	Start Slow Buff	Oil Travel Distance
							feet	feet	feet
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil (μ L)
01F	2	2	4	10	0	5	37	148	5920
02F	6	6	1	14	5	6	29	29	1160
03F	9	8	1	14	6	7	24	24	960
04F	10	9	2	14	7	10	22	44	1760
05F	12	11	2	14	10	13	18	36	1440
06F	13	12	1	18	13	15	16	16	640
07F	2	2	0	22	15	40			
08F									
09F									
10F									
11F									
12F									
13F									
14F									
15F									
Total # Boards Crossed / mL on FWD								297	11,88
Lane Surface Type: _____ Comments: _____									Reverse Oil Distance
Condition: 1 = poor 2 = fair 3 = average 4 = good 5 = excellent _____									31 feet
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil (μ L)
01R			0	26	40	31			
02R	14	13	1	22	31	28	14	14	560
03R	11	10	3	18	28	21	20	60	2400
04R	8	8	2	18	21	16	25	50	2000
05R	6	6	1	14	16	15	29	29	1160
06R	2	2	2	14	15	12	37	74	2960
07R	2	2	0	14	12	0			
08R									
09R									
10R									
11R									
12R									
13R									
14R									
15R									
Total # Boards Crossed / mL on REV								227	9,08
Total # Boards / mL FWD and REV								524	20,96

Tournament Name

syyskisa2017

Bowling Center

City, State

Dates

#1 #2 #3 #4 #5 #6

Zone Length

Tape Location

9' 16' 23' 27' 38'

FORWARD OIL

Pump Calibration: 40 Fwd Volume 11,880 Rev Volume 9,080 Total Volume 20,960

Table with 20 columns (1L-20R) and 15 rows (01F-15F) for Forward Oil. Includes numerical data and sub-totals at the bottom.


REVERSE OIL

Table with 20 columns (1L-20R) and 15 rows (01R-15R) for Reverse Oil. Includes numerical data and sub-totals at the bottom.

Total Volume in Microliters 20960

syyskisa2017 Composite Pattern

Microliters	Avg. 2-5L	Avg. 6-10L	Avg. 11-15L	Avg. 16-20L	Avg. 20-16R	Avg. 15-11R	Avg. 10-6R	Avg. 5-2R
	240	400	744	800	800	776	448	240
Ratio	20:2L	20:5L	20:10L	20:15L	20:15R	20:10R	20:5R	20:2R
	3,33	3,33	1,54	1,00	1,00	1,25	3,33	3,33



syyskisa2017 Overhead View of Conditioner Pattern

