

Tournament Name
Bowling Center
City, State, Country
Dates

Willimies 2017

Volume Per Board: <u>40</u> μ L				Forward Offense HV			Start Med. Buff	Start Slow Buff	Oil Travel Distance
							feet	feet	feet
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil (μ L)
01F	2	2	4	10	0	5	37	148	5920
02F	5	5	1	14	5	6	31	31	1240
03F	8	8	1	14	6	7	25	25	1000
04F	9	9	1	18	7	9	23	23	920
05F	10	10	1	18	9	11	21	21	840
06F	11	11	1	22	11	14	19	19	760
07F	12	12	2	22	14	20	17	34	1360
08F	2	2	0	26	20	38			
09F									
10F									
11F									
12F									
13F									
14F									
15F									
Total # Boards Crossed / mL on FWD								301	12,04
Lane Surface Type: _____ Comments: _____									Reverse Oil Distance
Condition: 1 = poor 2 = fair 3 = average 4 = good 5 = excellent _____									26 feet
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil (μ L)
01R			0	30	38	26			
02R	12	12	1	22	26	23	17	17	680
03R	10	10	1	22	23	20	21	21	840
04R	8	8	1	18	20	18	25	25	1000
05R	6	6	2	18	18	13	29	58	2320
06R	2	2	1	14	13	12	37	37	1480
07R	2	2	0	14	12	0			
08R									
09R									
10R									
11R									
12R									
13R									
14R									
15R									
Total # Boards Crossed / mL on REV								158	6,32
Total # Boards / mL FWD and REV								459	18,36

Tournament Name

Willimies 2017

Bowling Center

City, State

Dates

Zone Length #1 #2 #3 #4 #5 #6

Tape Location 9' 16' 23' 27' 38'

FORWARD OIL

Pump Calibration: 40 Fwd Volume 12,040 Rev Volume 6,320 Total Volume 18,360

1L	2L	3L	4L	5L	6L	7L	8L	9L	10L	11L	12L	13L	14L	15L	16L	17L	18L	19L	20	19R	18R	17R	16R	15R	14R	13R	12R	11R	10R	9R	8R	7R	6R	5R	4R	3R	2R	1R			
01F	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	
02F				40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	
03F							40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	
04F																																									
05F																																									
06F																																									
07F																																									
08F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
09F																																									
10F																																									
11F																																									
12F																																									
13F																																									
14F																																									
15F																																									
		680			1240				2120					1980				220		1980				2120					1240				680								
		160	160	160	200	200	200	240	280	320	360	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440		


REVERSE OIL

1L	2L	3L	4L	5L	6L	7L	8L	9L	10L	11L	12L	13L	14L	15L	16L	17L	18L	19L	20	19R	18R	17R	16R	15R	14R	13R	12R	11R	10R	9R	8R	7R	6R	5R	4R	3R	2R	1R		
01R																																								
02R																																								
03R																																								
04R																																								
05R																																								
06R	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	
07R	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
08R																																								
09R																																								
10R																																								
11R																																								
12R																																								
13R																																								
14R																																								
15R																																								
		160			760				1160					1080				120		1080				1160					760				160							
		80	80	80	120	120	2000	3280	3060	3060	3060	3060	3060	3060	3060	3060	3060	3060	3060	3060	3060	3060	3060	3060	3060	3060	3060	3060	3060	3060	3060	3060	3060	3060	3060	3060	3060	3060	3060	
		40	40	40	40	120	160	160	200	200	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	

Total Volume in Microliters 18360

Willimies 2017 Composite Pattern

Microliters	Avg. 2-5L	Avg. 6-10L	Avg. 11-15L	Avg. 16-20L	Avg. 20-16R	Avg. 15-11R	Avg. 10-6R	Avg. 5-2R
	210	400	656	680	680	656	400	210
Ratio	20:2L	20:5L	20:10L	20:15L	20:15R	20:10R	20:5R	20:2R
	3,40	2,83	1,31	1,00	1,00	1,31	2,83	3,40



Willimies 2017 Overhead View of Conditioner Pattern

