

Tournament Name
Bowling Center
City, State, Country
Dates

Fazer 2016

Volume Per Board: <u>40</u> μ L		Forward Connect					Start Med. Buff	Start Slow Buff	Oil Travel Distance	
							feet	feet	41 feet	
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil (μ L)	
01F	2	2	2	14	0	3	37	74	2960	
02F	4	4	2	14	3	6	33	66	2640	
03F	8	8	2	14	6	9	25	50	2000	
04F	10	10	3	18	9	16	21	63	2520	
05F	12	12	3	18	16	23	17	51	2040	
06F	14	14	3	22	23	32	13	39	1560	
07F	2	2	0	22	32	41				
08F										
09F										
10F										
11F										
12F										
13F										
14F										
15F										
Total # Boards Crossed / mL on FWD								343	13,72	
Lane Surface Type: _____		Comments: _____					Reverse Oil Distance			
Condition: 1 = poor 2 = fair 3 = average 4 = good 5 = excellent							26 feet			
Reverse										
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil (μ L)	
01R			0	30	41	26				
02R	13	13	1	22	26	23	15	15	600	
03R	11	11	2	22	23	17	19	38	1520	
04R	9	9	1	18	17	15	23	23	920	
05R	7	7	2	14	15	12	27	54	2160	
06R	2	2	1	14	12	11	37	37	1480	
07R	2	2	0	14	11	0				
08R										
09R										
10R										
11R										
12R										
13R										
14R										
15R										
Total # Boards Crossed / mL on REV								167	6,68	
Total # Boards / mL FWD and REV								510	20,4	

Tournament Name

Fazer 2016

Bowling Center

City, State

Dates

Zone Length #1 #2 #3 #4 #5 #6
Tape Location 9' 16' 23' 27' 38'

FORWARD OIL

Pump Calibration: 40 Fwd Volume 13,720 Rev Volume 6,680 Total Volume 20,400

	1L	2L	3L	4L	5L	6L	7L	8L	9L	10L	11L	12L	13L	14L	15L	16L	17L	18L	19L	20	19R	18R	17R	16R	15R	14R	13R	12R	11R	10R	9R	8R	7R	6R	5R	4R	3R	2R	1R								
01F	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80					
02F			80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80				
03F							80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80			
04F									120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120		
05F										120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120		
06F											120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120		
07F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
08F																																															
09F																																															
10F																																															
11F																																															
12F																																															
13F																																															
14F																																															
15F																																															
		480				1160																																									
		80	80	160	160	160	160	240	240	360	360	480	480	600	600	600	600	600	600	600	600	600	600	600	600	600	600	600	600	600	600	600	600	600	600	600	600	600	600	600	600	600	600	600	600		


REVERSE OIL

	1L	2L	3L	4L	5L	6L	7L	8L	9L	10L	11L	12L	13L	14L	15L	16L	17L	18L	19L	20	19R	18R	17R	16R	15R	14R	13R	12R	11R	10R	9R	8R	7R	6R	5R	4R	3R	2R	1R										
01R																																																	
02R													40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40			
03R												80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80
04R												40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	
05R												80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80
06R	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40		
07R	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
08R																																																	
09R																																																	
10R																																																	
11R																																																	
12R																																																	
13R																																																	
14R																																																	
15R																																																	
		160				600																																											
		640				1760																																											
		40	40	40	40	40	120	120	160	160	240	240	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280		

Total Volume in Microliters 20400

Fazer 2016 Composite Pattern

Microliters	Avg. 2-5L	Avg. 6-10L	Avg. 11-15L	Avg. 16-20L	Avg. 20-16R	Avg. 15-11R	Avg. 10-6R	Avg. 5-2R
	160	352	768	880	880	768	352	160
Ratio	20:2L	20:5L	20:10L	20:15L	20:15R	20:10R	20:5R	20:2R
	7,33	4,40	1,69	1,00	1,00	1,69	4,40	7,33



Fazer 2016 Overhead View of Conditioner Pattern

