

Tournament Name
Bowling Center
City, State, Country
Dates

keilakolmio2016

Volume Per Board: <u>40</u> μ L		Forward Offense HV					Start Med. Buff	Start Slow Buff	Oil Travel Distance	
							feet	feet	39 feet	
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil (μ L)	
01F	2	2	2	14	0	3	37	74	2960	
02F	2	2	2	10	3	5	37	74	2960	
03F	4	10	1	18	5	7	27	27	1080	
04F	10	10	1	22	7	10	21	21	840	
05F	12	11	2	22	10	16	18	36	1440	
06F	2	2	0	26	16	39				
07F										
08F										
09F										
10F										
11F										
12F										
13F										
14F										
15F										
Total # Boards Crossed / mL on FWD								232	9,28	
Lane Surface Type:		Comments:					Reverse Oil Distance			
Condition: 1 = poor 2 = fair 3 = average 4 = good 5 = excellent							30 feet			
Reverse										
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil (μ L)	
01R			0	30	39	30				
02R	11	11	1	26	30	27	19	19	760	
03R	9	9	2	26	27	20	23	46	1840	
04R	7	7	3	18	20	13	27	81	3240	
05R	5	5	2	14	13	10	31	62	2480	
06R	2	2	2	14	10	7	37	74	2960	
07R	2	2	0	14	7	0				
08R										
09R										
10R										
11R										
12R										
13R										
14R										
15R										
Total # Boards Crossed / mL on REV								282	11,28	
Total # Boards / mL FWD and REV								514	20,56	

Tournament Name

keilakolmio2016

Bowling Center

City, State

Dates

#1 #2 #3 #4 #5 #6

Zone Length

Tape Location

9' 16' 23' 27' 38'

FORWARD OIL

Pump Calibration: 40 Fwd Volume 9,280 Rev Volume 11,280 Total Volume 20,560

Table with 20 columns (1L-20) and 16 rows (01F-15F) for Forward Oil. Includes numerical values and a bottom row of totals.


REVERSE OIL

Table with 20 columns (1L-20) and 16 rows (01R-15R) for Reverse Oil. Includes numerical values and a bottom row of totals.

Total Volume in Microliters 20560

keilakolmio2016 Composite Pattern

Microliters	Avg. 2-5L	Avg. 6-10L	Avg. 11-15L	Avg. 16-20L	Avg. 20-16R	Avg. 15-11R	Avg. 10-6R	Avg. 5-2R
	280	496	704	720	720	720	464	260
Ratio	20:2L	20:5L	20:10L	20:15L	20:15R	20:10R	20:5R	20:2R
	3,00	2,00	1,20	1,00	1,00	1,20	2,25	3,00



keilakolmio2016 Overhead View of Conditioner Pattern

