

**Tournament Name**  
**Bowling Center**  
**City, State, Country**  
**Dates**

**X-Strike**

Volume Per Board: <u>40</u> $\mu$ L		Forward <b>Connect</b>					Start Med. Buff	Start Slow Buff	Oil Travel Distance	
							feet	feet	39 feet	
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil ( $\mu$ L)	
01F	2	2	4	10	0	5	37	148	5920	
02F	6	6	1	14	5	6	29	29	1160	
03F	9	8	1	14	6	7	24	24	960	
04F	10	9	2	14	7	10	22	44	1760	
05F	12	11	2	14	10	13	18	36	1440	
06F	13	12	1	18	13	15	16	16	640	
07F	2	2	0	22	15	39				
08F										
09F										
10F										
11F										
12F										
13F										
14F										
15F										
<b>Total # Boards Crossed / mL on FWD</b>								297	11,88	
<b>Lane Surface Type:</b> _____		<b>Comments:</b> _____					<b>Reverse Oil Distance</b>			
<b>Condition:</b> 1 = poor 2 = fair 3 = average 4 = good 5 = excellent							31 feet			
Reverse										
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil ( $\mu$ L)	
01R			0	26	39	31				
02R	14	13	1	22	31	28	14	14	560	
03R	11	10	3	18	28	21	20	60	2400	
04R	8	8	2	18	21	16	25	50	2000	
05R	6	6	1	14	16	15	29	29	1160	
06R	2	2	2	14	15	12	37	74	2960	
07R	2	2	0	14	12	0				
08R										
09R										
10R										
11R										
12R										
13R										
14R										
15R										
<b>Total # Boards Crossed / mL on REV</b>								227	9,08	
<b>Total # Boards / mL FWD and REV</b>								524	20,96	

Tournament Name

X-Strike

Bowling Center

City, State

Dates

Zone Length                    #1                    #2                    #3                    #4                    #5                    #6  
Tape Location                9'                    16'                    23'                    27'                    38'

FORWARD OIL

Pump Calibration: 40      Fwd Volume 11,880      Rev Volume 9,080      Total Volume 20,960

1L	2L	3L	4L	5L	6L	7L	8L	9L	10L	11L	12L	13L	14L	15L	16L	17L	18L	19L	20	19R	18R	17R	16R	15R	14R	13R	12R	11R	10R	9R	8R	7R	6R	5R	4R	3R	2R	1R		
01F	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	
02F					40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	
03F								40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	
04F								80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80
05F									80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80
06F										40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	
07F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
08F																																								
09F																																								
10F																																								
11F																																								
12F																																								
13F																																								
14F																																								
15F																																								
	640				1160					2040					1980			220		1980						2160					1280					640				
	160	160	160	160	200	200	200	240	320	320	400	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	400	320	320	240	200	200	160	160	160	160			

REVERSE OIL

1L	2L	3L	4L	5L	6L	7L	8L	9L	10L	11L	12L	13L	14L	15L	16L	17L	18L	19L	20	19R	18R	17R	16R	15R	14R	13R	12R	11R	10R	9R	8R	7R	6R	5R	4R	3R	2R	1R		
01R																																								
02R													40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40		
03R								120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	
04R							80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80
05R					40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	
06R	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	
07R	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
08R																																								
09R																																								
10R																																								
11R																																								
12R																																								
13R																																								
14R																																								
15R																																								
	320				840					1680					1620			180		1620						1720					960					320				
	960				2000					3720					3600			3600		3600						3880				2240					960					
	80	80	80	80	120	200	200	200	320	320	320	360	360	360	360	360	360	360	360	360	360	360	360	360	360	360	360	320	320	320	200	200	120	120	80	80	80			

Total Volume in Microliters                    20960

# X-Strike Composite Pattern

Microliters	Avg. 2-5L	Avg. 6-10L	Avg. 11-15L	Avg. 16-20L	Avg. 20-16R	Avg. 15-11R	Avg. 10-6R	Avg. 5-2R
	240	400	744	800	800	776	448	240
Ratio	20:2L	20:5L	20:10L	20:15L	20:15R	20:10R	20:5R	20:2R
	3,33	3,33	1,54	1,00	1,00	1,25	3,33	3,33



