

**Tournament Name**  
**Bowling Center**  
**City, State, Country**  
**Dates**

**XGAMES**

Volume Per Board: <u>40</u> $\mu$ L		Forward <b>Connect</b>					Start Med. Buff	Start Slow Buff	Oil Travel Distance
						feet	feet	39 feet	
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil ( $\mu$ L)
01F	2	2	4	10	0	5	37	148	5920
02F	6	6	1	14	5	6	29	29	1160
03F	9	8	1	14	6	7	24	24	960
04F	10	9	2	14	7	10	22	44	1760
05F	12	11	3	14	10	15	18	54	2160
06F	13	12	1	18	15	17	16	16	640
07F	2	2	0	22	17	39			
08F									
09F									
10F									
11F									
12F									
13F									
14F									
15F									
<b>Total # Boards Crossed / mL on FWD</b>								315	12,6
Lane Surface Type: _____		Comments: _____		<b>Reverse Oil Distance</b>					
Condition: 1 = poor 2 = fair 3 = average 4 = good 5 = excellent								<b>31 feet</b>	
Reverse									
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil ( $\mu$ L)
01R			0	26	39	31			
02R	14	13	1	22	31	28	14	14	560
03R	11	10	2	18	28	23	20	40	1600
04R	8	8	2	18	23	18	25	50	2000
05R	6	6	1	14	18	17	29	29	1160
06R	2	2	2	14	17	14	37	74	2960
07R	2	2	0	14	14	0			
08R									
09R									
10R									
11R									
12R									
13R									
14R									
15R									
<b>Total # Boards Crossed / mL on REV</b>								207	8,28
<b>Total # Boards / mL FWD and REV</b>								522	20,88

Tournament Name

XGAMES

Bowling Center

City, State

Dates

#1 #2 #3 #4 #5 #6

Zone Length

Tape Location

9' 16' 23' 27' 38'

FORWARD OIL

Pump Calibration: 40 Fwd Volume 12,600 Rev Volume 8,280 Total Volume 20,880

Table with 20 columns (1L-20) and 16 rows (01F-15F) for Forward Oil. Includes numerical data for oil volume and a bottom row of totals.


REVERSE OIL

Table with 20 columns (1L-20) and 16 rows (01R-15R) for Reverse Oil. Includes numerical data for oil volume and a bottom row of totals.

Total Volume in Microliters 20880

# XGAMES Composite Pattern

Microliters	Avg. 2-5L	Avg. 6-10L	Avg. 11-15L	Avg. 16-20L	Avg. 20-16R	Avg. 15-11R	Avg. 10-6R	Avg. 5-2R
	240	400	736	800	800	776	440	240
Ratio	20:2L	20:5L	20:10L	20:15L	20:15R	20:10R	20:5R	20:2R
	3,33	3,33	1,54	1,00	1,00	1,33	3,33	3,33



### XGAMES Overhead View of Conditioner Pattern

