



Options for Cibes A5000 and A7000

Accessories to Cibes Lift A 5000

- Emergency telephones
- IR Control
- 1100 mm wide platform
- Raised edges on the platform
- Audible bell
- Voice annunciator
- Smart card
- Folded seat
- 1 or 3 phase converters
- School lock system
- Photocells
- Fault alarm
- Outdoor installation
- Battery emergency lowering device

Telephone options




www.cibeslift.com

Other accessories



www.cibeslift.com


Smartcard



- Smartcard is used instead of a key.
- Smartcard can be installed on the panel and / or the door fronts.
- Each Smartcard is unique and will be programmed to match the access allowed to the specific user.
- It is possible to run the lift without the Smartcard, but only the doors in general use will open.
- Use it in offices, shops, block of flats and all occasions where there is a need of a limited access for the public.

IR Control

- IR control is a wireless remote control
- The lift is controlled by a handheld transmitter and receivers placed on the doors and on the platform
- IR control is mostly used when the user have problem to use the normal push buttons






1100 mm wide platform

- Cibes A5000 can have an extended platform
- The platform is extended by 100 mm and gives a 1100 mm wide platform

Raised edge on platform



- The raised edge is 100 mm high
- The raised edge can be ordered on side A, B and C
- Open through lifts will have the raised edge only on the B side
- It will protect the shaft walls when carts and walking frames are frequently used

Arrival bell



- The arrival signal is a small loudspeaker installed in the door
- It will give an audible signal when the lift arrives to a landing
- Suitable for doors with small (A1) or no glass (A0)
- Suitable when the lift is used by people with bad or no eyesight



Voice annunciator

- Make it easier for people with bad sight
- 60 sec message time as standard
- Possible to install also on old lifts (with CAN-bus)




School lock system

- The school lock system will lock all the doors on the lift
- The delay time after the door is closed until it is locked, is adjustable in steps of 3 sec, between 10-30 sec
- The school lock system is very suitable in schools, homes for elderly etc



Photocell

- The photocell is mounted on the vertical part of the platform
- A reflecting tape that will reflect the beam is located on the shaft wall (blue on the picture)
- The photocell will prevent objects to touch the wall during travel



Sum alarm is not an option but an inbuilt alarm function (potential free contact). Can be connected to different receivers as central alarm units, receptions etc. The alarm is automatically reset when the fault is remedied.

It gives alarm at 8 different occasions:

1. The complete system is checked when starting up
2. All door nodes are checked during travel
3. If the incoming phases are in wrong order
4. If the lift does not run (pulse counting error)
5. Bad or no contact at a landing contact
6. E-prom error (master node memory)
7. Error in the program (E-prom)
8. If a door is open more than 10 minutes



Outdoor installation

- Cibes A5000 is now suitable for outdoor installations
- A new designed roof will protect the shaft and machine room
- Ventilation of the machine room prevent condensation inside the shaft
- Exposed parts are galvanised
- Electronic parts, as PCB:s are varnished to suit the environment



Battery lowering device

- The battery lowering device consists of:
 - Electric 12V motor
 - Worm gear
 - 12V Battery
 - Special bracket
- Control buttons inside the electric compartment
- The battery is continuously charged by the alarm card
- It is possible to assemble on already installed lifts
- Will not take any major changes in the construction



Optional surface coating

- Birch
- Beech
- Alder-tree
- White marble

CanSee



- Locate problems by connecting your computer to the lifts master node
- Find solutions with Cibes CanSee which will give you step by step guidance
- Adjust parameters quick and easy (school lock, alarm periods)