



EQUIPMENT FOR SPORTS HALLS



DIVIDING CURAINS

- Designed for heavy, PVC curtains
- Safety brake in standard
- 3-phase motor 400V, 300 Nm
- Max. width: 40 m

Construction for mounting and vertical lifting dividing curtain. Electrically operated with use of a steering box mounted on a wall or remote controller. Steel elements protected against corrosion with powder-coating / zinc galvanizing. Mounted to a steel beam (80x80 mm or similar). The curtain is operated by electrical motor equipped with safety switches. Electrical mechanical safety brakes prevent uncontrolled curtain slips.


The curtain is pulled up with use of polyester belts placed in axial distance of approximately 200 cm.

Dividing curtain: grey [other colors upon request], non-transparent polyester fabric is UV resistant coated with PVC on both sides, microbiologically resistant, fire resistant according to DIN 4102 B1. Weight: 900 g/m². Height of the PVC: up to 2,5 m.

Above the PVC: polypropylene net mesh 100x100 mm, thickness 3 mm, color white or black. Contains system of strengthening and stabilizing steel/aluminum pipes.

SH801.01





STOP NETS (WALL PROTECTING NET)

Construction for hanging wall protecting nets.

Bracket for attaching safety net to a wall or pillar, made of steel, protected against corrosion by powder coating in any RAL tone or by zinc galvanization.

The solution is custom-made in accordance to the sport hall's circumstances and client's needs.

The net is installed on a steel wire rope (diameter of min. 4 mm, zinc galvanized).

Nets are available in following colors:

- Green
- White
- Black
- Yellow
- Blue
- Red

Dimensions of the nets are customized based on previously agreed measurements.

The top edge of the net has an additional two rows of seams, which allow to pull up the net in case of an excessive stretching. The ballast sewn to the bottom edge [lead cord 200 g/m] keeps the net stretched properly.



Upon client's request we also do flame-retardant nets.

Polypropylene 3 mm, mesh 50x50 mm [SH803.03.50](#)

Polypropylene 4 mm, mesh 50x50 mm [SH803.04.50](#)

Polypropylene 3 mm, mesh 100x100 mm [SH803.03.10](#)

Polypropylene 4 mm, mesh 100x100 mm [SH803.04.10](#)

WINDOWS' PROTECTING NETS

Installation set

Custom-made installation set containing:

- steel wire ropes
- tensioning screws
- wire thimbles
- steel net hooks (zinc galvanized, 50 mm)
- clamps
- steel brackets - types and quantities adjusted individually

Nets

Knotted polyethylene nets, available in following colors: red, green, blue, yellow, black and white and variants:

2,5 mm, mesh 50x50 mm [SH804.03.50](#)

2,5 mm, mesh 100x100 mm [SH804.04.50](#)

4,0 mm, mesh 50x50 mm [SH804.03.10](#)

4,0 mm, mesh 100x100 mm [SH804.04.10](#)





TRIBUNES

INDOOR USE FOLDABLE TRIBUNE

Main features:

- 3; 4; 5; 6; 7; 8; 9 or 10 rows
- Flat wooden bleachers or individual polypropylene seats
- Steel elements protected against corrosion by powder coating in any RAL tone
- Bleachers, backrest and other wooden elements made of solid pine wood, lacquered with flame resistant, transparent and non-toxic lacquers
- Width of the stairs: 1200 mm
- Spaces between the rows: 450 mm, finished with a high abrasion resistance covering
- Edges secured with aluminum profiles



OUTDOOR USE TRIBUNE




Fixed, freestanding tribune.

Construction: steel pipes and profiles, platforms made of steel lattices. All protected against corrosion by hot galvanization.

Seating: UV-resistant polypropylene seats with or without a backrest available in yellow, blue, red and green.

Main features:

- 2, 3, 4 or 5 rows
- Available modules: middle, stairs, side (with handrails) - see below
- Delivered unassembled



LOCKER ROOMS' EQUIPMENT

Main features:

- Wide range of models and additional accessories
- Several color options available
- Delivered with cam locks, padlocks, keypads or coin locks
- Solid, ergonomic construction
- Customization possible - i.e. client's logo as perforation (vent)



"L" type locker
SH802.01



Locker with/on a bench
SH802.02



Multi-tier locker
SH802.03



Locker room bench with hooks. Standard length: 2 m [other dimensions upon request]. Steel frame, equipped with non-marking knobs. Anti-corrosion treatment: powder coating in RAL 9006.

The seating and the backrest made accordingly of three and one wooden boards, lacquered with a non-toxic, transparent lacquer.

The black hooks made of polypropylene are installed on the rear side of the top board in order to prevent injuries.

Single side **SH803.01**

Double side **SH803.02**



CONTAINERS FOR WASTE SEGREGATION **SE902.06**

- single, double and triple compartment
- can be joined together
- pictograms with types of wastes
- the compartments have self locking hatches
- regulated leveling feet available




STORAGE EQUIPMENT



Trolley for transport and storage of one pair of volleyball uprights.

Suitable for all types and lengths.
Made of steel, protected against corrosion by powder coating in black (RAL 9005).
Equipped with 4 rubber wheels (two with brakes) and a hook for net hanger.


SE901.01.01



Trolley for transport and storage of one pair of volleyball uprights.

Suitable for all types and lengths.
Made of steel, protected against corrosion by powder coating in black (RAL 9005).
Equipped with 4 rubber wheels (two with brakes) and a hook for net hanger.


SE901.01.03



Net hanger (for one volleyball / badminton / tennis net).

Protected against corrosion by powder coating in black or zinc galvanization.
Equipped with handle.

SE901.01.02




Standard (universal) hook

Made of steel, available in lengths: 15 and 30 cm [other upon request]. Protected against corrosion by powder-coating in black (RAL 9005). Designed for hanging gymnastic hoops, sashes, nets, rings and many others.

15 cm
30 cm

SE902.01.15
SE902.01.30



Wall storage console for posts

Suitable for any uprights (volleyball, horizontal bars, etc.). Including anti-scrap rubber gaskets on edges.

Available in two versions:

2x2 hooks

SE902.02.02

[8 uprights with max diameter of ~100 mm]

2x4 hooks

SE902.02.04

[4 uprights with max diameter of ~100 mm]

Protected against corrosion by powder-coating in black (RAL 9005).




Wall console for storing nets hangers

Protected against corrosion by powder-coating in black (RAL 9005).

Capacity: 6-8 hangers.

SE902.03



Storage trolley for balls and other sports equipment

Heavy-duty trolley made of steel rods, protect against corrosion by zinc-galvanization.
Equipped with rubber wheels (two with brake) and a partition. Easy for transport - foldable.
Dimensions: 100x60x85cm.

SE901.01.04



Platform trolley for transporting gymnastic mats.

Steel construction, protected against corrosion by powder coating in silver RAL 9006 or black RAL 9005. Platform 200x100 cm made of waterproof, anti-slip black plywood. Equipped with 4 rubber castors (2 fixed and 2 swivel). Max weight of transported mats: 120 kg. Max. Capacity: 12 pcs of 10 cm gymnastic mats.


SE902.07



Functional, capacious and solid metal lockers

used to arrange and collect minor sports equipment and various sports accessories (rackets, balls, jump ropes, lines, scarves, gym mats, gym equipment, etc.). Several types and dimensions available. Made of steel, protect against corrosion by powder-coating [standard color RAL 7035 - grey].

[SE902.05](#)



High quality lockers made of HPL (High Pressure Laminate). This material is very resistant to bending and tearing, its surface is super hard and resistant to dirt.

A use of proper solvent avails to remove all unwanted marks, stains or other dirt without a risk of destroying the surface. Additionally, is characterized by high thermal resistance (boiling water, cigarettes, etc.). HPL lockers are corrosion resistant, so they are recommended for use in swimming pools.

Dimension, colors, prices and other details upon request.

[SH802.04](#)



Transport and storage trolley for 100 floor protecting mats 2x1 m

Made of steel profiles, protect against corrosion by powder-coating. Equipped with rubber wheels (two with brake). Platform made of anti-slip and waterproof black plywood.

Max capacity: 800 kg.

[SE901.01.07](#)




Storage trolley for 3 rolls of floor protection covering

Trolley made of steel profiles, protect against corrosion by powder-coating. Equipped with rubber wheels (two with brake) and 3 steel, portable rods (zinc-galvanized) with handles. Designed for transporting and storing floor protection in rolls with width up to 2 m.

Max capacity: 400 kg.

[SE901.01.05](#)




Storage unit for 4 rolls of floor protection covering or portable sports flooring

Made of steel profiles, protect against corrosion by powder-coating. Equipped with portable rods (zinc-galvanized) with handles. Designed for storing on any rolls with width up to 2 m. Manual winch available (upon request).

[SE902.04](#)

CUSTOM MADE ITEMS – UPON REQUEST



Stainless steel handrails



HPL furniture



School and office furniture

FLOOR PROTECTION

FLOOR PROTECTION IN ROLLS





INTER PROTECT SPORT

Sports hall protection in rolls designed to cover all types of sports floorings during non-sports events. Resistant to stretching, bending, liquids and mechanical damages.

Main features:

- Made of PVC
- Available colors: graphite and green
- Standard roll dimensions: length 25 m; width 1,4 m.
- Thickness: 1,5 mm,
- Weight: 2200 g/sqm
- Loose laid installation.
- Flame resistant according to EN 13501-1
- Anti-slip bottom

Color

	Green	FP131.01
	Graphite	FP131.02

FLOOR PROTECTION IN TILES



INTER FLOOR PROTECTION

Sports hall protection in tiles designed to cover all types of sports floorings during non-sports events. Protects all wooden parquets and PVC floors against unwanted factors as i.e. inadequate footwear, cigarettes, liquids, food wastes and other.

Color	Code
Navy-blue	FP132.01
Grey	FP132.02
Green	FP132.03

Main features:

- Made of polypropylene (top layer) and polyolefin (bottom layer)
- Available colors: graphite, navy-blue and green
- Standard roll dimensions: 200x100 cm
- Total thickness: 7,5 mm
- Weight: 3,8 kg/sqm
- Loose laid installation
- Anti-slip bottom
- Flame resistant according to EN 13501-1





STRAMATEL SCOREBOARDS



PROFESSIONAL SCOREBOARDS WITH FIBA CERTIFICATE

STRAMATEL scoreboards from multisport series are working with following disciplines:

- basketball
- handball
- volleyball
- tennis
- hockey
- futsal

And many others.



The scoreboards are delivered with steering panel with many different languages available (customized upon request).



SUPER PRO 452 MF 3123-123 FIBA LVL 1


The modules of the scoreboard can be installed directly on a wall or on a steel subconstruction. Displays: teams names, score, time, part of the game, team fouls, individual fouls, players numbers, players names, score of the previous game part, ball possession indicator, individual penalties in handball. The scoreboar has an integrated siren and it is approved by the FIBA for highest level competitions [FIBA LEVEL 1 CERTIFICATE]. In set: steering console in a carrying bag, charger [only for wireless models], PC keyboard, wires and instruction manual.



Basic parameters:
Dimensions: 6908x2500x90 mm
Weight: 285 kg
Digits height: 25 i 30 cm
Readability: 160 m
Visibility angle: 160°
Power supply: 230V; 50-60 Hz

SUPER PRO 452 MF 3123 FIBA LVL 2

The modules of the scoreboard can be installed directly on a wall or on a steel subconstruction. Displays: teams names, score, time, part of the game, team fouls, individual fouls, players numbers, ball possession indicator, individual penalties in handball. The scoreboar has an integrated siren and it is approved by the FIBA for high level competitions [FIBA LEVEL 2 CERTIFICATE]. In set: steering console in a carrying bag, charger [only for wireless models], PC keyboard, wires and instruction manual.



Basic parameters:
Dimensions: 4304x2200x90 mm
Weight: 145 kg
Digits height: 25 i 30 cm
Readability: 160 m
Visibility angle: 160°
Power supply: 230V; 50-60 Hz

SUPER PRO 452 MB 7100 FIBA LVL 3

The modules of the scoreboard can be installed directly on a wall or on a steel subconstruction. Displays: teams names, score, time, part of the game, team fouls, ball possession indicator, individual penalties in handball.

The scoreboar has an integrated siren and it is approved by the FIBA for high level competitions [FIBA LEVEL 3 CERTIFICATE]. In set: steering console in a carrying bag, charger [only for wireless models], PC keyboard, wires and instruction manual.



Basic parameters:
Dimensions: 1900x1200x90 mm
Weight: 32 kg
Digits height: 20 i 25 cm
Readability: 110 m
Visibility angle: 160°
Power supply: 230V; 50-60 Hz



NOVA TIMING SCOREBOARDS

Main features:

- automatic and manual siren
- LED technology, 10 years warranty for diodes
- fixed HOME-GUESTS inscription [or displaying team names in PRO series]
- wireless data transmission
- easy, intuitive steering [control panel with LCD display and language customized menu]
- anti-reflex, ball impact resistant polycarbonate front cover
- power supply: 230V, 50-60 Hz
- supported disciplines: basketball, handball, volleyball, hockey, tennis*

*tennis can be replaced with any other discipline



READABILITY 60 M



BASIC 10

Displayed parameters: game time in minutes and seconds, score from 0 to 199. Dimensions: 1000x640x40 mm.

[SB111.01.10](#)



BASIC 13

Displayed parameters: game time in minutes and seconds, score from 0 to 199, game part number, team fouls. Dimensions: 1000x640x40 mm.

[SB111.01.13](#)



BASIC 170

Displayed parameters: game time in minutes and seconds, score from 0 to 199, game part number, team fouls, individual penalties in handball. Dimensions: 1500x1000x40 mm.

[SB111.01.170](#)

READABILITY 90 M



PRO 170 HOME-GUESTS

[SB111.02.170](#)

PRO 171 TEAM NAMES

[SB111.02.171](#)

Displayed parameters: game time in minutes and seconds, score from 0 to 199, game part number, team fouls. Dimensions: 1880x1180x40 mm.



PRO 172 HOME-GUESTS

[SB111.02.172](#)

PRO 173 TEAM NAMES

[SB111.02.173](#)

Displayed parameters: game time in minutes and seconds, score from 0 to 199, game part number, individual and team fouls. Dimensions: 2900x1180x40 mm.



PRO 176 HOME-GUESTS

[SB111.02.176](#)

PRO 177 TEAM NAMES

[SB111.02.177](#)

Displayed parameters: game time in minutes and seconds, score from 0 to 199, game part number, individual and team fouls, 2x3 timers for individual penalties in handball. Dimensions: 2900x1730x40 mm.



4/24 SECOND TIMER BASIC 24

Timer dimensions: 360x320x40 mm. Readability 60 m.

In set: 2 pcs of shot clocks and control panel.

BASIC 24

[SB111.03.24](#)



Portable scoreboard MULTITOP

Portable scoreboard supplied from batteries [works up to 20 hours], with integrated control panel.

Full support for following disciplines: basketball, handball, futsal, volleyball, tennis, table tennis, badminton, floorball, ice hockey, netball, boxing and one other [set manually]. Additionally training and stopwatch mode. Dimensions: 730x370x110 mm, weight 5,5 kg.

MULTITOP2/B

[SB113.01](#)